

# Claims

- [c1] 1. Within the infrastructure of a mobile telephone network, a method of storing and forwarding the content of a conference call comprising:
- in response to a request by a group member, initiating a conference call on the mobile telephone network among a specified group of mobile telephone devices;
  - recording the conference call within the network infrastructure of the mobile telephone network used to broadcast the conference call;
  - storing the conference call on a storage medium within the network infrastructure used to broadcast the conference call;
  - determining which mobile telephone devices did not participate in the conference call; and
  - composing and sending a conference call notification message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a conference call took place and is available to be downloaded from the mobile telephone network to the mobile telephone devices for replay.

[c2] 2. Within the infrastructure of a mobile telephone network, a system for storing and forwarding the content of a conference call comprising:

- in response to a request by a group member, means for initiating a conference call on the mobile telephone network among a specified group of mobile telephone devices;
- means for recording the conference call within the network infrastructure of the mobile telephone network used to broadcast the conference call;
- means for storing the conference call on a storage medium within the network infrastructure used to broadcast the conference call;
- means for determining which mobile telephone devices did not participate in the conference call; and
- means for composing and sending a conference call notification message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a conference call took place and is available to be downloaded from the mobile telephone network to the mobile telephone devices for replay.

[c3] 3. Within the infrastructure of a mobile telephone network, a computer program product for storing and forwarding the content of a conference call comprising:

in response to a request by a group member, computer program code for initiating a conference call on the mobile telephone network among a specified group of mobile telephone devices;

computer program code for recording the conference call within the network infrastructure of the mobile telephone network used to broadcast the conference call;

computer program code for storing the conference call on a storage medium within the network infrastructure used to broadcast the conference call;

computer program code for determining which mobile telephone devices did not participate in the conference call; and

computer program code for composing and sending a conference call notification message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a conference call took place and is available to be downloaded from the mobile telephone network to the mobile telephone devices for replay.

[c4] 4. Within a mobile telephone device, a method of storing and forwarding the content of a conference call comprising:

initiating a conference call on a mobile telephone network among a specified group of mobile telephone de-

vices;

recording and storing the conference call in memory on one of the mobile telephone devices;

determining which mobile telephone devices did not participate in the conference call; and

composing and sending a conference call notification

MMS message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a conference call took place and containing an audio attachment of the conference call.

[c5] 5. Within a mobile telephone device, a system for storing and forwarding the content of a conference call comprising:

means for initiating a conference call on a mobile telephone network among a specified group of mobile telephone devices;

means for recording and storing the conference call in memory on one of the mobile telephone devices;

means for determining which mobile telephone devices did not participate in the conference call; and

means for composing and sending a conference call notification MMS message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a confer-

ence call took place and containing an audio attachment of the conference call.

- [c6] 6. Within a mobile telephone device, a computer program product for storing and forwarding the content of a conference call comprising:
- computer program code for initiating a conference call on a mobile telephone network among a specified group of mobile telephone devices;
  - computer program code for recording and storing the conference call in memory on one of the mobile telephone devices;
  - computer program code for determining which mobile telephone devices did not participate in the conference call; and
  - computer program code for composing and sending a conference call notification MMS message to the mobile telephone devices that did not participate in the conference call, the message comprised of information indicating that a conference call took place and containing an audio attachment of the conference call.